



ehle 
Electro Fogger
High performance fog machine

The Fog Smoker is a compact and powerful fog machine with integrated blower. For checking sewer and pipe lines, locating faulty lateral connections and fire brigade training missions.

The device has also proven itself in the detection of leaks in roofs or the search for cavities or undermining in dam and dike structures.



ehle 

Field of application

- Detection of inadmissible faulty lateral connections in the sewer system
- Detection of cracks and holes in the main pipe and in smaller pipelines in buildings (siphons, drain pipes, etc.), in septic tanks,
- Progress testing of cables
- Control of dry sprinkler lines, air currents in ventilation or air treatment and ventilation lines
- Leak test of chimneys, roofs etc.
- Fire brigade and emergency trainings

Attributes

- Strong output - the integrated blower allows without sealing the simple fogging of a piping system
- Simple operation via membrane keyboard - also possible with gloves
- Container holder for a standard 5 liter canister fluid - no annoying decanting
- Easy changing of the fluid canister due to quick-out coupling

Scope of delivery

- 1x Fog machine type FOG-Smoker
- 1x telescopic rod extendable up to 6 m length
- 1x 7,5 m flexible spiral reinforced PVC hose DN50 with C-coupling
- 5 liters original fogging liquid

Optional accessories

- transport case
- cable remote control

(855) 997-0524



MADE IN GERMANY		
	Fog-Smoker (230 V)	Fog-Smoker (110 V)
Supply voltage	230 V (AC) 110 V (AC)	
Max. power consumption	2.400 Watt	2.200 Watt 1.200 Watt 1.200
Evaporator power	Watt 1.200 Watt 1.000 Watt approx. 600	
Fan turbine power	m3/min	
Fog performance	approx. 50 l/s	
Air output	5 liters	
Fluid amount in container	with max. output: 120 ml/min	
Fluid consumption	permanent fogging: 35 ml/min	
Hose connection	Storz coupling C	
Protection	IP44	
Dimensions (LxWxH)	560 x 295 x 350 mm	
Weight (incl. Fluid)	21,5 kg	



 **APEX CIPP SOLUTIONS**
www.apexcipp.com