



MICRO & MINI MILLER

Cast Iron Pipes


DESCALING



INTACT




Original Chain




Cyclone Chain




3D Chain (Premium)




Smart Cutter™




Mini Smart Sweeper




FRAGILE




Cyclone Chain




Smart Cutter™




Mini Smart Sweeper




Wire Brush




DAMAGED



Smart Cutter™




Mini Smart Sweeper




Wire Brush


SPECIAL



ROOTS



Original Chain




Cyclone Chain




3D Chain (Premium)




Twister Mini Express



Mini Smart Sweeper



Special Drill Head



METAL

Refer to the Midi, Super Midi and Maxi Miller Range of Machines

Micro Miller

Shaft Diameter: 8 mm (1/3")

Micro Miller Range: 12 metres (39 ft)

Additional Extension:** 10 metres (32 ft)

Recommended Diameter Range: DN50 (2") to DN100 (4")

Mini Miller

Shaft Diameter: 8 mm (1/3")

Mini Miller Range: 16 metres (50 ft)

Additional Extension:** 10 metres (32 ft)

Recommended Diameter Range: DN50 (2") to DN100 (4")

** Shaft extension sold separately.

Available Tools

Original Chain (Standard)

Original Chain (Premium)

3D Chain (Premium)

Cyclone Chain (Standard)

Cyclone Chain (Premium)

Smart Cutter™

Wire Brush*

Special Drill Head

Twister Mini Express

Mini Smart Sweeper

Size Diameter

DN50 (2") - DN150 (6")

DN50 (2") - DN150 (6")

DN50 (2") - DN100 (4")

DN70 (3") - DN150 (6")

DN70 (3") - DN125 (5")

DN50 (2") - DN100 (4")

DN50 (2") - DN150 (6")

DN50 (2") - DN75 (3")


DN50 (2") - DN75 (3")

DN50 (2") - DN75 (3")


* Wire brushes should only be used for removing fine dust or light mineral deposits.

Clay Pipes


DESCALING



INTACT




Original Chain




Cyclone Chain




3D Chain (Premium)




Smart Cutter™



Mini Smart Sweeper




FRAGILE




Cyclone Chain




Smart Cutter™




Mini Smart Sweeper




Wire Brush




DAMAGED



Smart Cutter™




Mini Sweeper




Wire Brush


SPECIAL



ROOTS



Original Chain




Cyclone Chain




3D Chain (Premium)




Twister Mini Express



Mini Smart Sweeper



Special Drill Head



METAL

Refer to the Midi, Super Midi and Maxi Miller Range of Machines

Micro Miller

Shaft Diameter: **8 mm (1/3")**

Micro Miller Range: **12 metres (39 ft)**

Additional Extension:** **10 metres (32 ft)**

Recommended Diameter Range: **DN50 (2") to DN100 (4")**

Mini Miller

Shaft Diameter: **8 mm (1/3")**

Mini Miller Range: **16 metres (50 ft)**

Additional Extension:** **10 metres (32 ft)**

Recommended Diameter Range: **DN50 (2") to DN100 (4")**

Available Tools

Original Chain (Standard)
Original Chain (Premium)
3D Chain (Premium)
Cyclone Chain (Standard)
Cyclone Chain (Premium)
Smart Cutter™
Wire Brush*
Special Drill Head
Twister Mini Express
Mini Smart Sweeper

Size Diameter


DN50 (2") - DN150 (6")
DN50 (2") - DN150 (6")
DN50 (2") - DN100 (4")
DN70 (3") - DN150 (6")
DN70 (3") - DN125 (5")
DN50 (2") - DN100 (4")
DN50 (2") - DN150 (6")
DN50 (2") - DN75 (3")
DN50 (2") - DN75 (3")
DN50 (2") - DN75 (3")

* Wire brushes should only be used for removing fine dust or light mineral deposits.


MICRO & MINI MILLER

Plastic Pipes


DESCALING



INTACT




Original Chain (PVC)




Cyclone Chain (PVC)




3D Chain (PVC)




Smart Cutter™




Nylon Cleaning Brush




FRAGILE




Cyclone Chain (PVC)




Smart Cutter™




Nylon Cleaning Brush



DAMAGED




Smart Cutter™




Nylon Cleaning Brush


SPECIAL



ROOTS




Original Chain (PVC)




Cyclone Chain (PVC)



Twister Mini Express



Special Drill Head (PVC)



METAL

Refer to the Midi, Super Midi and Maxi Miller Range of Machines

Micro Miller

Shaft Diameter: **8 mm (1/3")**

Micro Miller Range: **12 metres (39 ft)**

Additional Extension:** **10 metres (32 ft)**

Recommended Diameter Range: **DN50 (2") to DN100 (4")**

Mini Miller

Shaft Diameter: **8 mm (1/3")**

Mini Miller Range: **16 metres (50 ft)**

Additional Extension:** **10 metres (32 ft)**

Recommended Diameter Range: **DN50 (2") to DN100 (4")**

** Shaft extension sold separately.

Available Tools

Original Chain (PVC)

3D Chain (PVC)

Cyclone Chain (PVC)

Smart Cutter™

Nylon Cleaning Brush*

Special Drill Head (PVC)

Twister Mini Express

Size Range

DN50 (2") - DN150 (6")

DN50 (2") - DN100 (4")

DN70 (3") - DN125 (5")

DN50 (2") - DN100 (4")


DN50 (2") - DN150 (6")

DN50 (2") - DN75 (3")

DN50 (2") & DN70 (3")

* Nylon cleaning brushes should only be used for removing fine dust or soft blockages.


STANDARD




UNLINED




Twister Mini Express




Special Drill Head




Smart Cutter™



OPENED



Smart Cutter™




LINED




Twister Mini Express


SPECIAL




FLOOR DRAIN




Special Drill Head




Special Drill Head (3D)




Smart Cutter™




SIZE CHANGE



Special Drill Head



Special Drill Head (3D)



Smart Cutter™

Micro Miller

Shaft Diameter: 8 mm (1/3")

Range: 12 metres (39 ft)

Additional Extension: 10 metres (32 ft) (Sold Separately)

Recommended Diameter Range: DN50 (2") to DN75 (3")

Mini Miller

Shaft Diameter: 8 mm (1/3")

Range: 16 metres (50 ft)

Additional Extension: 10 metres (32 ft) (Sold Separately)

Recommended Diameter Range : DN50 (2") to DN75 (3")

Available Tools


Size Diameter

Smart Cutter™	DN50 (2") - DN75 (3")
Twister Mini Express	DN50 (2") - DN70 (3")
Special Drill Head	DN50 (2") - DN75 (3")
Special Drill Head (3D)	DN50 (2") - DN75 (3")

MICRO & MINI MILLER

Clay Pipes


S
T
A
N
D
A
R
D




UNLINED




Twister Mini Express




Special Drill Head




Smart Cutter™



OPENED



Smart Cutter™




LINED




Twister Mini Express


S
P
E
C
I
A
L



FLOOR DRAIN




Special Drill Head




Special Drill Head (3D)




Smart Cutter™




SIZE CHANGE



Special Drill Head



Special Drill Head (3D)



Smart Cutter™

Micro Miller

Shaft Diameter: 8 mm (1/3")

Range: 12 metres (39 ft)

Additional Extension: 10 metres (32 ft) (Sold Separately)

Recommended Diameter Range: DN50 (2") to DN75 (3")

Mini Miller

Shaft Diameter: 8 mm (1/3")

Range: 16 metres (50 ft)

Additional Extension: 10 metres (32 ft) (Sold Separately)


Recommended Diameter Range : DN50 (2") to DN75 (3")

Available Tools

Size Diameter

Smart Cutter™	DN50 (2") - DN75 (3")
Twister Mini Express	DN50 (2") - DN70 (3")
Special Drill Head	DN50 (2") - DN75 (3")
Special Drill Head (3D)	DN50 (2") - DN75 (3")


S
T
A
N
D
A
R
D




UNLINED




Twister Mini Express




Special Drill Head (PVC)



OPENED



Smart Cutter™




LINED




Twister Mini Express

S
P
E
C
I
A
L




FLOOR DRAIN




Special Drill Head (PVC)




Smart Cutter™



SIZE CHANGE



Special Drill Head (PVC)



Smart Cutter™

Micro Miller

Shaft Diameter: 8 mm (1/3")

Range: 12 metres (39 ft)

Additional Extension: 10 metres (32 ft) (Sold Separately)

Recommended Diameter Range: DN50 (2") to DN75 (3")

Mini Miller

Shaft Diameter: 8 mm (1/3")

Range: 16 metres (50 ft)

Additional Extension: 10 metres (32 ft) (Sold Separately)

Recommended Diameter Range : DN50 (2") to DN75 (3")

Available Tools

Size Diameter

Smart Cutter	DN50 (2") - DN75 (3")
Twister Mini Express	DN50 (2") - DN70 (3")
Special Drill Head (PVC)	DN50 (2") - DN75 (3")